

# ANANDA INFLAEZE TINCTURE

## Batch Specific Information

**Product Name** Ananda InflaEze Tincture  
**Product Description** Sublingual tincture, 3% full-spectrum active cannabinoids hemp extract infused in a hemp seed oil and terpene blend  
**Lot Number** 23TFL060  
**Expiration Date** 02/2025  
**Date of Production (Batch Date)** 02/2023

Quantity Produced: 1369

## Raw Ingredients

Ingredient	Manufacturer	Lot Number
HEMP SEED OIL	ANANDA FOOD	HSO0025
FULL SPECTRUM HEMP EXTRACT	ANANDA HEALTH	CKS-LEX19-05
CBC Isolate	GVB	TST509
CBDa Isolate	GVB	TST474
BETA-MYRCENE	SIGMA ALDRICH	SHBL3032
BETA-CARYOPHYLLENE	SIGMA ALDRICH	SHBP4524
LINALOOL	SIGMA ALDRICH	SHBQ1776
ALPHA-PINENE	SIGMA ALDRICH	SHBP0486
CITRAL	SIGMA ALDRICH	MKCJ7159
D-LIMONENE	SIGMA ALDRICH	SHBN4496
EUCALYPTOL	SIGMA ALDRICH	SHBP3781

**Manufactured By:**  
Ananda Health  
PO Box 399  
Georgetown, KY 40324  
888-388-1119

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

March 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 542335  
Sample No. 1153279

## SAMPLE INFORMATION

**Description** InflaEze Tincture  
**Lot Number** 23TFL060  
**Category** Non-inhalable Edible  
**Received** March 08, 2023

## ANALYTICAL RESULTS

**Analysis** Cannabinoid Profile  
**Instrument** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Method** MF-CHEM-15  
**Analysis Date** March 08, 2023 to March 10, 2023

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	0.89	0.089	0.82
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	22.21	2.221	20.60
CBDA	6.54	0.654	6.06
CBC	3.03	0.303	2.81
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	0.79	0.079	0.73
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	0.89	0.089	0.82
Total CBD	27.94	2.794	25.92
Total Cannabinoids	32.65	3.265	30.28
Sum of Cannabinoids	33.46	3.346	31.03
<b>g/ml Conversion Factor</b>	0.9274		

**Reported by**  
**Anresco, Inc.**



Eric Tam  
Senior Chemist

March 10, 2023

Limit of Detection: 0.067 mg/g  
Limit of Quantitation: 0.2 mg/g  
ND = None Detected  
<LOQ = Below Limit of Quantitation  
LOD = Limit of Detection  
Total THC = Δ9-THC + (0.877 \* Δ9-THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

*REB*  
*4/20/2023*

If there are any questions with this report, please contact " [redacted]@anresco.com".

March 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 542335  
Sample No. 1153279

## SAMPLE INFORMATION

**Description** InflaEze Tincture  
**Lot Number** 23TFL060  
**Category** Non-Inhalable Edible  
**Received** March 08, 2023

## ANALYTICAL RESULTS

**Analysis** Heavy Metals  Pass  
**Instrument** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)  
**Method** MF-CHEM-16  
**Analysis Date** March 08, 2023 to March 10, 2023

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	BLOQ	0.5	Pass

Reported by  
**Anresco, Inc.**



Eric Tam  
Senior Chemist

March 10, 2023

*ETS*  
*4/20/2023*

ND = None Detected

If there are any questions with this report, please contact "[info@anresco.com](mailto:info@anresco.com)".

March 13, 2023

**ANANDA HEMP**  
PO BOX 399  
Georgetown, KY 40324

Order No. 542335  
Sample No. 1153279

## SAMPLE INFORMATION

**Description** InflaEze Tincture  
**Lot Number** 23TFL060  
**Received** March 08, 2023

## ANALYTICAL RESULTS

**Analysis Date** March 08, 2023 to March 13, 2023

Findings	Analysis	Results	Method
	Total Plate Count	<10 cfu/g	USP 61
	Yeast	<10 cfu/g	USP 61
	Mold	<10 cfu/g	USP 61
	Bile Tolerant Gram Negative	Negative /1g	USP 62
	E. coli	Negative /1g	USP 62
	Salmonella	Negative /10g	USP 62
	Pseudomonas	Negative /1g	USP 62
	Staphylococcus	Negative /1g	USP 62

Reported by  
**Anresco, Inc.**

*Reb*  
*4/20/2023*



Allen Zhu  
Analyst

If there are any questions with this report, please contact "Anresco Laboratories, Inc."

page 1 of 1

Anresco Laboratories  
1375 Van Dyke Ave., San Francisco, CA 94124

Tel: 415 822 1100  
Fax: 415 822 6615

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

March 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 542335  
Sample No. 1153279

### SAMPLE INFORMATION

**Description** InflaEze Tincture  
**Lot Number** 23TFL060  
**Category** Non-Inhalable Edible  
**Received** March 08, 2023

### ANALYTICAL RESULTS

**Analysis** Mycotoxins Screen  Pass  
**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Method** MF-CHEM-13  
**Analysis Date** March 08, 2023 to March 10, 2023

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected

*REB*  
*4/20/2023*

  
Ka Meng Lao  
Analyst I

March 10, 2023

If there are any questions with this report, please contact "Sales@anresco.com".

March 10, 2023

PO BOX 399  
 Georgetown, KY 40324

Order No. 542335  
 Sample No. 1153279

## SAMPLE INFORMATION

**Description** InflaEze Tincture  
**Lot Number** 23TFL060  
**Category** Non-Inhalable Edible  
**Received** March 08, 2023

## ANALYTICAL RESULTS

**Analysis** Pesticide Residue Screen  Pass  
**Instrument** GC & LC MS/MS  
**Method** USP 561  
**Analysis Date** March 08, 2023 to March 10, 2023

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acephate	0.02/0.05	ND	0.1	Pass
Alachlor	0.02/0.05	ND	0.05	Pass
Aldrin	0.02/0.05	ND	0.05	Pass
Azinphos-ethyl	0.03/0.1	ND	0.1	Pass
Azinphos-methyl	0.17/0.5	ND	1	Pass
BHC-alpha (benzene hexachloride)	0.03/0.1	ND	0.3	Pass
BHC-beta	0.03/0.1	ND	0.3	Pass
BHC-delta	0.03/0.1	ND	0.3	Pass
BHC-gamma (Lindane, gamma HCH)	0.03/0.1	ND	0.6	Pass
Bromophos-ethyl	0.02/0.05	ND	0.05	Pass
Bromophos-Methyl	0.02/0.05	ND	0.05	Pass
Bromopropylate	0.08/0.25	ND	3	Pass
Chlordane-cis	0.02/0.05	ND	0.05	Pass
Chlordane-oxy	0.02/0.05	ND	0.05	Pass
Chlordane-trans	0.02/0.05	ND	0.05	Pass
Chlorfenvinphos	0.08/0.25	ND	0.5	Pass
Chlorpyrifos	0.02/0.05	ND	0.2	Pass
Chlorpyrifos-methyl	0.03/0.1	ND	0.1	Pass
Cyfluthrin	0.03/0.1	ND	0.1	Pass
Cyhalothrin-lambda	0.17/0.5	ND	1	Pass
Cypermethrin	0.17/0.5	ND	1	Pass
DDD-o,p'	0.03/0.1	ND	1	Pass
DDD-p,p'	0.03/0.1	ND	1	Pass
DDE-o,p'	0.03/0.1	ND	1	Pass
DDE-p,p'	0.03/0.1	ND	1	Pass
DDT-o,p'	0.03/0.1	ND	1	Pass
DDT-p,p'	0.03/0.1	ND	1	Pass
Deltamethrin	0.17/0.5	ND	0.5	Pass
Diazinon	0.03/0.1	ND	0.5	Pass
Dichlofluanid	0.08/0.25	ND	0.1	Pass

If there are any questions with this report, please contact "info@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Dichlorvos	0.03/0.1	ND	1	Pass
Dicofol	0.17/0.5	ND	0.5	Pass
Dieldrin	0.02/0.05	ND	0.05	Pass
Dimethoate	0.03/0.1	ND	0.1	Pass
Endosulfan I (alpha)	0.08/0.25	ND	3	Pass
Endosulfan II (beta)	0.08/0.25	ND	3	Pass
Endosulfan sulfate	0.08/0.25	ND	3	Pass
Endrin	0.02/0.05	ND	0.05	Pass
Ethion	0.17/0.5	ND	2	Pass
Etrimfos	0.02/0.05	ND	0.05	Pass
Fenchlorphos (Ronnel)	0.03/0.1	ND	0.1	Pass
Fenitrothion	0.17/0.5	ND	0.5	Pass
Fenpropathrin	0.01/0.03	ND	0.03	Pass
Fensulfothion	0.02/0.05	ND	0.05	Pass
Fenthion	0.02/0.05	ND	0.05	Pass
Fenvalerate	0.08/0.25	ND	1.5	Pass
Flucythrinate	0.02/0.05	ND	0.05	Pass
Fluvalinate-tau	0.02/0.05	ND	0.05	Pass
Fonofos	0.02/0.05	ND	0.05	Pass
Heptachlor	0.02/0.05	ND	0.05	Pass
Heptachlor endo-epoxide	0.02/0.05	ND	0.05	Pass
Heptachlor exo-epoxide	0.02/0.05	ND	0.05	Pass
Hexachlorobenzene	0.03/0.1	ND	0.1	Pass
Malaoxon (Malathion-oxon)	0.08/0.25	ND	1	Pass
Malathion	0.08/0.25	ND	1	Pass
Mecarbam	0.02/0.05	ND	0.05	Pass
Methacrifos	0.02/0.05	ND	0.05	Pass
Methamidophos	0.02/0.05	ND	0.05	Pass
Methidathion	0.07/0.2	ND	0.2	Pass
Methoxychlor, o,p'-	0.02/0.05	ND	0.05	Pass
Methoxychlor, p,p'-	0.02/0.05	ND	0.05	Pass
Mirex	0.003/0.01	ND	0.01	Pass
Monocrotophos	0.03/0.1	ND	0.1	Pass
Octachlorodipropyl ether (S-421)	0.01/0.02	ND	0.02	Pass
Parathion	0.08/0.25	ND	0.5	Pass
Parathion Methyl	0.03/0.1	ND	0.2	Pass
Pendimethalin	0.03/0.1	ND	0.1	Pass
Pentachloroaniline	0.17/0.5	ND	1	Pass
Pentachloroanisole	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.03/0.1	ND	1	Pass
Pentachloroanisoole	0.03/0.1	ND	1	Pass
Permethrins	0.17/0.5	ND	1	Pass
Phosalone	0.03/0.1	ND	0.1	Pass
Phosmet	0.02/0.05	ND	0.05	Pass
Piperonyl Butoxide	0.03/0.1	0.0451	3	Pass
Pirimiphos-ethyl	0.02/0.05	ND	0.05	Pass
Pirimiphos-methyl	0.08/0.25	ND	4	Pass
Procymidone	0.03/0.1	ND	0.1	Pass

If there are any questions with this report, please contact " [info@anresco.com](mailto:info@anresco.com)".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Profenofos	0.03/0.1	ND	0.1	Pass
Prothiofos	0.02/0.05	ND	0.05	Pass
Pyrethrins	0.17/0.5	ND	3	Pass
Quinalphos	0.02/0.05	ND	0.05	Pass
Tecnazene	0.02/0.05	ND	0.05	Pass
Tetradifon	0.08/0.25	ND	0.3	Pass
Vinclozolin	0.08/0.25	ND	0.4	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected

*LeB*  
*4/20/2023*

Ka Meng Lao



Ka Meng Lao  
 Analyst I

March 10, 2023

If there are any questions with this report, please contact " [redacted]@anresco.com".



March 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 542335  
Sample No. 1153279

## SAMPLE INFORMATION

**Description** InflaEze Tincture  
**Lot Number** 23TFL060  
**Category** Non-Inhalable Edible  
**Received** March 08, 2023  
**Serving Size (g)** 1


## ANALYTICAL RESULTS

**Analysis** Residual Solvent Screen  Pass  
**Method** USP <467>  
**Analysis Date** March 08, 2023 to March 10, 2023

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	ND	-	-
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	-	-
Ethyl acetate	67/200	ND	-	-
Ethyl ether	67/200	ND	-	-
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	-	-
n-Hexane	67/200	ND	290	Pass
isopropyl alcohol	67/200	ND	-	-
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	-	-
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected



Jordean Vargas  
Analyst

*REAS*  
*4/17/2023*

March 10, 2023

If there are any questions with this report, please contact " [redacted] @anresco.com".