

Roll-On, 500mg Full Spectrum

Batch Specific Information

Product Name Extra Strength Soothing Roll-On 500mg
Product Description Hemp infused Roll-on, 500mg CBD in 30mL in roller-ball applicator
Lot Number 23R500198
Date of Production (Batch Date) 07/2023

Quantity Produced: 2913 units

Raw Ingredients

Ingredient	Manufacturer	Lot Number
AQUA	PHARMCO	230103-B045349
GLYCERIN	INTEGRITY INGREDIENTS	206042013003001
ALOE BARBADENSIS LEAF JUICE POWDER	INTEGRITY INGREDIENTS	2230017
HYDROXYACETOPHENONE	SYMRISE	10700100
SODIUM ACRYLATES COPOLYMER LECITHIN	IFF - LUCAS MEYER COSMETICS	2032305
XANTHAN GUM	BRENNTAG	2545087
PROPANEDIOL	DUPONT TATE & LYLE BIO	LP22F0072
BUTYROSPERMUM PARKII BUTTER	AARHUSKARLSHAMN	0002499313
CETYL ALCOHOL	INTEGRITY INGREDIENTS	20154
CANNABIDIOL	ANANDA HEALTH	CKS-LEX19-08
CANNABIS SATIVA SEED OIL	ANANDA FOOD	HSO-0035
MENTHOL	ESSENTIAL INGREDIENTS	H2-096-L-21-22
CAPSICUM ANNUUM FRUIT EXTRACT CETYL ALCOHOL CAPSAICIN	SABINSA CORPORATION	C181439
CAMPHOR	CHARKIT CHEMICAL	200106275
CAPRYLIC/CAPRIC TRIGLYCERIDE	INTEGRITY INGREDIENTS	1001221
GLYCERIN SALIX ALBA BARK EXTRACT	ESSENTIAL INGREDIENTS	0000139305
GLYCINE SOJA OIL ARNICA MONTANA FLOWER EXTRACT TOCOPHEROL	CLR/DEVERAUX	3225512

July 24, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 546654
Sample No. 1167278

SAMPLE INFORMATION

Description AP ROLL-ON 500mg
Lot Number 23R5001980625
Category Non-Inhalable Topical
Received July 19, 2023

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF-CHEM-15
Analysis Date July 19, 2023 to July 24, 2023

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	0.65	0.065	0.65
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	17.12	1.712	17.15
CBDA	ND	ND	ND
CBC	0.61	0.061	0.61
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	0.21	0.021	0.21
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	0.65	0.065	0.65
Total CBD	17.12	1.712	17.15
Total Cannabinoids	18.59	1.859	18.62
Sum of Cannabinoids	18.59	1.859	18.62
g/ml Conversion Factor	1.0016		

✓ ADT
8/9/23

Reported by
Anresco, Inc.




Donald Lao
Analyst I

July 24, 2023

Limit of Detection: 0.0667 mg/g
Limit of Quantitation: 0.2000 mg/g
ND = None Detected
<LOQ = Below Limit of Quantitation
LOD = Limit of Detection
Total THC = Δ9-THC + (0.877 * Δ9-THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + (0.877 * Σ (acidic cannabinoids))

If there are any questions with this report, please contact "compliance@anresco.com".

July 24, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 546654
Sample No. 1167278

SAMPLE INFORMATION

Description AP ROLL-ON 500mg
Lot Number 23R5001980625
Category Non-Inhalable Topical
Received July 19, 2023

ANALYTICAL RESULTS

Analysis Heavy Metals Pass
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF-CHEM-16
Analysis Date July 19, 2023 to July 24, 2023

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

*✓ A07
8/9/23*

ND = None Detected

Reported by
Anresco, Inc.



Derek Moy
Senior Analyst

July 24, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

July 26, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 546654
Sample No. 1167278

SAMPLE INFORMATION

Description AP ROLL-ON 500mg
Lot Number 23R5001980625
Category Non-Inhalable Topical
Received July 19, 2023

ANALYTICAL RESULTS

Analysis Micro Screen-Ananda-USP 61/62
Analysis Date July 19, 2023 to July 26, 2023

Analyte	Findings	Method
Total Plate Count	<10	USP 61
Yeast	<10	USP 61
Mold	<10	USP 61
Bile Tolerant Gram Negative	Negative	USP 62
E. coli	Negative	USP 62
Salmonella	Negative	USP 62
Pseudomonas	Negative	USP 62
Staphylococcus	Negative	USP 62

✓ ASD
8/19/23

Reported by
Anresco, Inc.



Jessica Lingua
Analyst

July 26, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

July 24, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 546654
Sample No. 1167278

SAMPLE INFORMATION

Description AP ROLL-ON 500mg
Lot Number 23R5001980625
Category Non-Inhalable Topical
Received July 19, 2023
Serving Size (g) 1

ANALYTICAL RESULTS

Analysis Residual Solvent Screen Pass
Method USP <467>
Analysis Date July 19, 2023 to July 24, 2023

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	ND	-	-
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	-	-
Ethyl acetate	67/200	ND	-	-
Ethyl ether	67/200	ND	-	-
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	-	-
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	-	-
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	-	-
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

✓ A27
8/19/23

ND = None Detected

Reported by
Anresco, Inc.


Jordean Vargas
Analyst III



July 24, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

July 24, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 546654
Sample No. 1167278

SAMPLE INFORMATION

Description AP ROLL-ON 500mg
Lot Number 23R5001980625
Category Non-Inhalable Topical
Received July 19, 2023

ANALYTICAL RESULTS

Analysis Pesticides USP - 561 Pass
Instrument GC & LC MS/MS
Method USP 561
Analysis Date July 19, 2023 to July 24, 2023

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acephate	0.02/0.05	ND	0.1	Pass
Alachlor	0.02/0.05	ND	0.05	Pass
Aldrin	0.02/0.05	ND	0.05	Pass
Azinphos-ethyl	0.03/0.1	ND	0.1	Pass
Azinphos-methyl	0.17/0.5	ND	1	Pass
BHC-alpha (benzene hexachloride)	0.03/0.1	ND	0.3	Pass
BHC-beta	0.03/0.1	ND	0.3	Pass
BHC-delta	0.03/0.1	ND	0.3	Pass
BHC-gamma (Lindane, gamma HCH)	0.03/0.1	ND	0.6	Pass
Bromophos-ethyl	0.02/0.05	ND	0.05	Pass
Bromophos-Methyl	0.02/0.05	ND	0.05	Pass
Bromopropylate	0.08/0.25	ND	3	Pass
Chlordane-cis	0.02/0.05	ND	0.05	Pass
Chlordane-oxy	0.02/0.05	ND	0.05	Pass
Chlordane-trans	0.02/0.05	ND	0.05	Pass
Chlorfenvinphos	0.08/0.25	ND	0.5	Pass
Chlorpyrifos	0.02/0.05	ND	0.2	Pass
Chlorpyrifos-methyl	0.03/0.1	ND	0.1	Pass
Cyfluthrin	0.03/0.1	ND	0.1	Pass
Cyhalothrin-lambda	0.17/0.5	ND	1	Pass
Cypermethrin	0.17/0.5	ND	1	Pass
DDD-o,p'	0.03/0.1	ND	1	Pass
DDD-p,p'	0.03/0.1	ND	1	Pass
DDE-o,p'	0.03/0.1	ND	1	Pass
DDE-p,p'	0.03/0.1	ND	1	Pass
DDT-o,p'	0.03/0.1	ND	1	Pass
DDT-p,p'	0.03/0.1	ND	1	Pass
Deltamethrin	0.17/0.5	ND	0.5	Pass
Diazinon	0.03/0.1	ND	0.5	Pass

✓ 10-7
8/14/23

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Dichlofluanid	0.08/0.25	ND	0.1	Pass
Dichlorvos	0.03/0.1	ND	1	Pass
Dicofol	0.17/0.5	ND	0.5	Pass
Dieldrin	0.02/0.05	ND	0.05	Pass
Dimethoate	0.03/0.1	ND	0.1	Pass
Endosulfan I (alpha)	0.08/0.25	ND	3	Pass
Endosulfan II (beta)	0.08/0.25	ND	3	Pass
Endosulfan sulfate	0.08/0.25	ND	3	Pass
Endrin	0.02/0.05	ND	0.05	Pass
Ethion	0.17/0.5	ND	2	Pass
Etrinfos	0.02/0.05	ND	0.05	Pass
Fenchlorphos (Ronnel)	0.03/0.1	ND	0.1	Pass
Fenitrothion	0.17/0.5	ND	0.5	Pass
Fenprothrin	0.01/0.03	ND	0.03	Pass
Fensulfthion	0.02/0.05	ND	0.05	Pass
Fenthion	0.02/0.05	ND	0.05	Pass
Fenvalerate	0.08/0.25	ND	1.5	Pass
Flucythrinate	0.02/0.05	ND	0.05	Pass
Fluvalinate-tau	0.02/0.05	ND	0.05	Pass
Fonofos	0.02/0.05	ND	0.05	Pass
Heptachlor	0.02/0.05	ND	0.05	Pass
Heptachlor endo-epoxide	0.02/0.05	ND	0.05	Pass
Heptachlor exo-epoxide	0.02/0.05	ND	0.05	Pass
Hexachlorobenzene	0.03/0.1	ND	0.1	Pass
Malaoxon (Malathion-oxon)	0.08/0.25	ND	1	Pass
Malathion	0.08/0.25	ND	1	Pass
Mecarbam	0.02/0.05	ND	0.05	Pass
Methacrifos	0.02/0.05	ND	0.05	Pass
Methamidophos	0.02/0.05	ND	0.05	Pass
Methidathion	0.07/0.2	ND	0.2	Pass
Methoxychlor, o,p'	0.02/0.05	ND	0.05	Pass
Methoxychlor, p,p'	0.02/0.05	ND	0.05	Pass
Mirex	0.003/0.01	ND	0.01	Pass
Monocrotophos	0.03/0.1	ND	0.1	Pass
Octachlorodipropyl ether (S-421)	0.01/0.02	ND	0.02	Pass
Parathion	0.08/0.25	ND	0.5	Pass
Parathion Methyl	0.03/0.1	ND	0.2	Pass
Pendimethalin	0.03/0.1	ND	0.1	Pass
Pentachloroaniline	0.17/0.5	ND	1	Pass
Pentachloroanisole	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.03/0.1	ND	1	Pass
Pentachlorothioanisole	0.03/0.1	ND	1	Pass
Permethrins	0.17/0.5	ND	1	Pass
Phosalone	0.03/0.1	ND	0.1	Pass
Phosmet	0.02/0.05	ND	0.05	Pass
Piperonyl Butoxide	0.03/0.1	ND	3	Pass
Pirimiphos-ethyl	0.02/0.05	ND	0.05	Pass

ADJ
8/11/23

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Pirimiphos-methyl	0.08/0.25	ND	4	Pass
Procymidone	0.03/0.1	ND	0.1	Pass
Profenofos	0.03/0.1	ND	0.1	Pass
Prothiofos	0.02/0.05	ND	0.05	Pass
Pyrethrins	0.17/0.5	ND	3	Pass
Quinalphos	0.02/0.05	ND	0.05	Pass
Tecnazene	0.02/0.05	ND	0.05	Pass
Tetradifon	0.08/0.25	ND	0.3	Pass
Vinclozolin	0.08/0.25	ND	0.4	Pass

✓ADJ
8/19/23

Reported by
Anresco, Inc.

ND = None Detected

 
Alda Tan
Analyst II

July 24, 2023

If there are any questions with this report, please contact "compliance@anresco.com".