## SereniPlex+ Gummy

#### **Batch Specific Information**

**Product Name** 

SereniPlex+ Gummy

**Product Description** 

Lemon Ginger Gummy with 8.5mg CBD, 1mg CBG, 0.5mg CBN, and 25mg Zembrin

Lot Number Manufacture Date 24GSP067 03/2024

	Raw Ingredients				
Ingredient	Manufacturer	Lot Number			
PECTIN	Herbstreith and Fox	0000011884			
PECTIN	Herbstreith and Fox	0000018544			
CANE SUGAR	Brenntag	S271D			
TAPIOCA SYRUP	Ciranda	220723-1			
WATER, PURIFIED	Greenfield Global	231102-B071410			
CITRIC ACID	Brenntag	AA-2301-1025			
ZEMBRIN	HG&H Pharmaceuticals	SCE0421-1503			
SereniPlex Cannabinoid Blend	Ananda Professional	24GSP067SCB			
MCT	Kraft Chemical	BTA2305096			
COLOR	IFC Solutions	50403			
FLAVOR	Gold Coast	369312			
FLAVOR	Gold Coast	355812			
SODIUM BICARBONATE	JT Baker	22B0261017			
TRICALCIUM CITRATE	Brenntag	3058868			

#### Manufactured By:

Ananda Health PO Box 399 Georgetown, KY 40324 833-791-2511

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Zembrin is a registered trademark of HG&H Pharmaceuticals (Pty) Limited



# Certificate of Analysis



### **CANNABUSINESS LABORATORIES, LLC**

**Customer:** 

Ecofibre LLC 190 Corporate Boulevard Georgetown, KY 40324

Received Date 3/8/2024 COA Released 3/14/2024

Comments

Sample ID 240307010

Order Number CB240307005

Sample Name 24GSP067 - SereniPlex

External Sample ID

**Batch Number** 


Product Type Edible Sample Type Edible

Analyte	LOQ (%)	% Weight	mg/g	mg/unit
CBC	0.01	ND	ND	ND
CBD	0.01	0.265	2.647	8.71
CBDa	0.01	ND	ND	ND
CBDV	0.01	ND	ND	ND
CBG	0.01	0.029	0.288	0.95
CBGa	0.01	ND	ND	ND
CBN	0.01	0.015	0.149	0.49
d8-THC	0.01	ND	ND	ND
d9-THC	0.01	ND	ND	ND
THCa	0.01	ND	ND	ND
Total Cannab	inoids	0.309	3.085	10.15
Total Potenti	al THC	N/A	N/A	ND
Total Potenti	al CBD	0.265	2.648	8.71
Total Potenti	al CBG	0.029	0.288	0.95
Ratio of Total Pe	otential CBD to To	ntal Potential THC		N/A
Ratio of Total Po	otential CBG to To	otal Potential THC		N/A

### SAMPLE IMAGE



## CANNABINOIDS % Weight



<sup>\*</sup>Total Potential THC/CBD are calculated to take into account the loss of an acid group during decarboxylation.



THE Cours 03/14/2024 12:15 PM Jamie Hobgood Laboratory Manager SIGNATURE LABORATORY MANAGER DATE

This product has been tested by CannaBusiness Laboratories using validated testing methodologies and a quality system. Values reported relate only to the product tested. CannaBusiness Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written permission of CannaBusiness Laboratories. Photo is of sample received by the lab and may vary from final packaging. The results apply to the sample as received.

Page 1 of 3

2554 PALUMBO DRIVE, LEXINGTON, KY 40509 | (859) 514-6999 | INFO@CANNABUSINESSLABS.US | CANNABUSINESSLABS.US



<sup>\*</sup>Total Cannabinoids refers to the sum of all cannabinoids detected.

<sup>\*</sup>Total Potential CBD = (0.877 x CBDa) + CBD. \*Total Potential THC = (0.877 x THCa) + THC. \*Total Potential CBG = (0.877 x CBGa) + CBG.

# Certificate of Analysis CANNABUSINESS LABORATORIES, LLC

Quality Approved
Dated: 315/by Initials: Ast

#### Customer

Ecofibre LLC 190 Corporate Boulevard Georgetown, KY 40324



2000 OF STREET, STREET		
SA STREET, STREET, SA		
747-7-700	ACTOR OF SERVICE OF A	
	LE	
1: 0 0 1 P	LE	
PUMP		
4	4.5	
Reference automobile	And the second	
3000		
Harris and the second		
Control of the Contro	A CONTRACTOR OF THE PARTY OF TH	
Charles of the Control of the Contro	MARKET CO. 22.73	
	AND RESIDENCE OF THE PARTY OF T	

Sample Name: 24GSP067 - SereniPlex

Sample ID: 240307010 Order Number: CB240307005

Product Type: Edible Sample Type: Edible Received Date: 03/08/2024

**Batch Number:** 

COA released: 03/14/2024 12:15 PM

0.000 % Total THC	<b>0.265</b> % Total CBI			nnabinoids		<b>185 mg/g</b> Cannabinoids	
Analyte		Result	Units	LOQ	Result	Units	
CBC (Cannabichromene	:)	ND	%	0.010	ND	mg/g	
CBD (Cannabidiol)		0.265	%	0.010	2.647	mg/g	
CBDa (Cannabidiolic Ac	id)	ND	%	0.010	ND	mg/g	
CBDV (Cannabidivarin)		ND	%	0.010	ND	mg/g	
CBG (Cannabigerol)		0.029	%	0.010	0.288	mg/g	
CBGa (Cannabigerolic A	cid)	ND	%	0.010	ND	mg/g	
CBN (Cannabinol)		0.015	%	0.010	0.149	mg/g	
D8-THC (D8-Tetrahydrocannabinol)		ND	%	0.010	ND	mg/g	
D9-THC (D9-Tetrahydro	cannabinol)	ND	%	0.010	ND	mg/g	
THCa (Tetrahydrocanna	binolic Acid)	ND	%	0.010	ND	mg/g	

Pesticides					<b>《福建》的《美国的</b>				males in
Date Tested: 03/11/2024	Method: CB-S	OP-025	Instrume	nt:			177		
Analyte	Result	Units	LOQ	Result	Analyte	Result U	nits	LOQ	Result
Acephate	ND	ppm	0.010		Acetamiprid	ND	ppm	0.010	
Aldicarb	ND	ppm	0.010		Azoxystrobin	ND	ppm	0.010	
Bifenazate	ND	ppm	0.010		Bifenthrin	ND	ppm	0.100	
Boscalid	ND	ppm	0.010		Carbaryl	ND	ppm	0.010	
Carbofuran	ND	ppm	0.010		Chlorantraniliprole	ND	ppm	0.010	
Chlorpyrifos	ND	ppm	0.010		Clofentezine	ND	ppm	0.010	
Coumaphos	ND	ppm	0.010		Daminozide	ND	ppm	0.010	
Diazinon	ND	ppm	0.010		Dichlorvos	ND	ppm	0.100	
Dimethoate	ND	ppm	0.010		Etofenprox	ND	ppm	0.010	
Etoxazole	ND	ppm	0.010		Fenhexamid	ND	ppm	0.010	
Fenoxycarb	ND	ppm	0.010		Fenpyroximate	ND	ppm	0.010	
Fipronil	ND	ppm	0.010		Flonicamid	ND	ppm	0.100	
Fludioxonil	ND	ppm	0.010		Hexythiazox	ND	ppm	0.010	
Imazalil	ND	ppm	0.010		Imidacloprid	ND	ppm	0.010	
Malathion	ND	ppm	0.010		Metalaxyl	ND	ppm	0.010	
Methiocarb	ND	ppm	0.010		Methomyl	ND	ppm	0.010	
Myclobutanil	ND	ppm	0.010		Naled	ND	ppm	0.010	
Oxamyl	ND	ppm	0.010		Paclobutrazol	ND	ppm	0.010	
Phosmet	ND	ppm	0.010		Prallethrin	ND	ppm	0.010	
Propiconazole	ND	ppm	0.010		Propoxur	ND	ppm	0.010	

NT = Not tested, ND = Not detected; LOQ = Limit of Quantitation; <LOQ = Detected; >ULOL = Above upper limit of linearity; CFU/g = Colony forming units per 1 gram; TNTC = Too numerous to count

This product has been tested by CannaBusiness Laboratories using validated testing methodologies and a quality system. Values reported relate only to the product tested. CannaBusiness Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written permission of CannaBusiness Laboratories. Photo is of sample received by the lab and may vary from final packaging. The results apply to the sample as received.



Analyte  Pyrethrin I Pyridaben Spiromesifen Tebuconazole Thiamethoxam Ethoprophos Permethrins Spinosyn A AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent	Result Units  ND ppm	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	Result	Analyte  Pyrethrin II Spinetoram Spirotetramat Thiacloprid Trifloxystrobin Kresoxym-methyl Piperonyl Butoxide Spiroxamine-1 Spinosyn D	Result U  ND	ppm	LOQ 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	Result
Pyrethrin I Pyridaben Spiromesifen Tebuconazole Thiamethoxam Ethoprophos Permethrins Spinosyn A AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met Analyte Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met Analyte Arsenic Lead  Microbial Date Tested: 03/14/2024 Met Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	Result	Pyrethrin II Spinetoram Spirotetramat Thiacloprid Trifloxystrobin Kresoxym-methyl Piperonyl Butoxide Spiroxamine-1	ND ND ND ND ND ND ND	ppm ppm ppm ppm ppm ppm ppm ppm	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	Result
Pyridaben Spiromesifen Tebuconazole Thiamethoxam Ethoprophos Permethrins Spinosyn A AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010		Spinetoram Spirotetramat Thiacloprid Trifloxystrobin Kresoxym-methyl Piperonyl Butoxide Spiroxamine-1	ND ND ND ND ND ND	ppm ppm ppm ppm ppm ppm ppm	0.010 0.010 0.010 0.010 0.010 0.010 0.010	
Spiromesifen Tebuconazole Thiamethoxam Ethoprophos Permethrins Spinosyn A AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met Analyte Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met Analyte Arsenic Lead  Microbial Date Tested: 03/14/2024 Met Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm	0.010 0.010 0.010 0.010 0.010 0.010 0.010		Spirotetramat Thiacloprid Trifloxystrobin Kresoxym-methyl Piperonyl Butoxide Spiroxamine-1	ND ND ND ND ND ND	ppm ppm ppm ppm ppm ppm	0.010 0.010 0.010 0.010 0.010 0.010	
Tebuconazole Thiamethoxam Ethoprophos Permethrins Spinosyn A AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met Analyte Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met Analyte Arsenic Lead  Microbial Date Tested: 03/14/2024 Met Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm	0.010 0.010 0.010 0.010 0.010 0.010		Thiacloprid Trifloxystrobin Kresoxym-methyl Piperonyl Butoxide Spiroxamine-1	ND ND ND ND ND	ppm ppm ppm ppm ppm	0.010 0.010 0.010 0.010 0.010	
Thiamethoxam Ethoprophos Permethrins Spinosyn A AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met  Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm	0.010 0.010 0.010 0.010 0.010		Trifloxystrobin Kresoxym-methyl Piperonyl Butoxide Spiroxamine-1	ND ND ND ND	ppm ppm ppm ppm	0.010 0.010 0.010 0.010	
Ethoprophos Permethrins Spinosyn A AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm	0.010 0.010 0.010 0.010 0.010		Kresoxym-methyl Piperonyl Butoxide Spiroxamine-1	ND ND ND	ppm ppm ppm	0.010 0.010 0.010	
Permethrins Spinosyn A AbamectinB1a  Mycotoxins  Date Tested: 03/11/2024 Met  Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent  Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm ND ppm ND ppm ND ppm ND ppm ND ppm	0.010 0.010 0.010		Piperonyl Butoxide Spiroxamine-1	ND ND	ppm ppm	0.010 0.010	
Spinosyn A AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Metals Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm ND ppm ethod: CB-SOP-025  Result Units  ND ppm	0.010 0.010		Spiroxamine-1	ND	ppm	0.010	
AbamectinB1a  Mycotoxins Date Tested: 03/11/2024 Met  Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm ethod: CB-SOP-025  Result Units  ND ppm	0.010		TO DESCRIPTION OF STREET AND ADDRESS OF STREET ASSESSMENT AND ADDRESS OF STREET AND ADDRESS OF ADDR				
Mycotoxins Date Tested: 03/11/2024 Met  Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ethod: CB-SOP-025  Result Units  ND ppm			Spinosyn D	ND	ppm		
Date Tested: 03/11/2024 Met  Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	Result Units  ND ppm	Instrume		THE RESERVE THE PARTY OF THE PA			0.010	
Analyte  Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	Result Units  ND ppm	Instrume		<b>以前,1985年1986年</b>				基础的
Ochratoxin A Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm		ent:					
Aflatoxin G2 Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	NEW CONTROL OF THE PRINCIPLE INCIDENT AND THE SERVICE STREET, AND THE SERVICE STREET, STREET, STREET, STREET,	LOQ	Result	Analyte	Result U	nits	LOQ	Result
Aflatoxin G1  Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	110	0.010		Aflatoxin B1	ND	ppm	0.010	
Metals Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm	0.010		Aflatoxin B2	ND	ppm	0.010	
Date Tested: 03/12/2024 Met  Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ND ppm	0.010						
Analyte  Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol					<b>建</b>		14786	32 H 54
Arsenic Lead  Microbial Date Tested: 03/14/2024 Met  Analyte STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ethod: CB-SOP-027	Instrume	ent:					
Lead  Microbial Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	Result Units	LOQ	Result	Analyte	Result U	nits	LOQ	Result
Microbial Date Tested: 03/14/2024 Met  Analyte STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	<loq ppm<="" td=""><td>0.500</td><td></td><td>Cadmium</td><td><loq< td=""><td>ppm</td><td>0.500</td><td></td></loq<></td></loq>	0.500		Cadmium	<loq< td=""><td>ppm</td><td>0.500</td><td></td></loq<>	ppm	0.500	
Date Tested: 03/14/2024 Met  Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	<loq ppm<="" td=""><td>0.500</td><td></td><td>Mercury</td><td><loq< td=""><td>ppm</td><td>3.000</td><td></td></loq<></td></loq>	0.500		Mercury	<loq< td=""><td>ppm</td><td>3.000</td><td></td></loq<>	ppm	3.000	
Analyte  STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol								
STEC (E. coli) L. monocytogenes  Residual Solvent Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	ethod:	Instrume	ent:					
L. monocytogenes  Residual Solvent  Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	Result Units	LOQ	Result	Analyte	Result U	nits	LOQ	Result
Residual Solvent  Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	Negative			Salmonella	Negative			
Date Tested: 03/13/2024 Met  Analyte  1-4 Dioxane 2-Ethoxyethanol	Negative			Yeast/Mold (qPCR)	Absence			
Analyte 1-4 Dioxane 2-Ethoxyethanol				<b>对数1.150元素的高效数</b>				
1-4 Dioxane 2-Ethoxyethanol	ethod: CB-SOP-032	Instrume	ent:		16 HK K4 9 K K K K K K K K K K K K K K K K K			
2-Ethoxyethanol	Result Units	LOQ	Result	Analyte	Result U	nits	LOQ	Result
For a partier commission of the commission of the contract of	<loq ppm<="" td=""><td>29</td><td></td><td>2-Butanol</td><td><loq< td=""><td>ppm</td><td>175</td><td></td></loq<></td></loq>	29		2-Butanol	<loq< td=""><td>ppm</td><td>175</td><td></td></loq<>	ppm	175	
THE RESERVE OF THE ARMOUNT OF THE PROPERTY OF	<loq ppm<="" td=""><td>24</td><td></td><td>2-Methylpentane</td><td><loq< td=""><td>ppm</td><td>87</td><td></td></loq<></td></loq>	24		2-Methylpentane	<loq< td=""><td>ppm</td><td>87</td><td></td></loq<>	ppm	87	
	<loq ppm<="" td=""><td>87</td><td></td><td>2-Propanol</td><td><loq< td=""><td>ppm</td><td>350</td><td></td></loq<></td></loq>	87		2-Propanol	<loq< td=""><td>ppm</td><td>350</td><td></td></loq<>	ppm	350	
Cyclohexane	<loq ppm<="" td=""><td>146</td><td></td><td>Ether</td><td><loq< td=""><td>ppm</td><td>350</td><td></td></loq<></td></loq>	146		Ether	<loq< td=""><td>ppm</td><td>350</td><td></td></loq<>	ppm	350	
Ethylbenzene	<loq ppm<="" td=""><td>81</td><td></td><td>Acetone</td><td><loq< td=""><td>ppm</td><td>350</td><td></td></loq<></td></loq>	81		Acetone	<loq< td=""><td>ppm</td><td>350</td><td></td></loq<>	ppm	350	
Isopropyl Acetate	<loq ppm<="" td=""><td>175</td><td></td><td>Methylbutane</td><td><loq< td=""><td>ppm</td><td>350</td><td></td></loq<></td></loq>	175		Methylbutane	<loq< td=""><td>ppm</td><td>350</td><td></td></loq<>	ppm	350	
n-Heptane	<loq ppm<="" td=""><td>350</td><td></td><td>n-Hexane</td><td><loq< td=""><td>ppm</td><td>87</td><td></td></loq<></td></loq>	350		n-Hexane	<loq< td=""><td>ppm</td><td>87</td><td></td></loq<>	ppm	87	
n-Pentane	<loq ppm<="" td=""><td>350</td><td></td><td>Tetrahydrofuran</td><td><loq< td=""><td>ppm</td><td>54</td><td></td></loq<></td></loq>	350		Tetrahydrofuran	<loq< td=""><td>ppm</td><td>54</td><td></td></loq<>	ppm	54	
Acetonitrile	<loq ppm<="" td=""><td>123</td><td></td><td>Ethanol</td><td>455</td><td>ppm</td><td>350</td><td></td></loq>	123		Ethanol	455	ppm	350	
Ethyl acetate	<loq ppm<="" td=""><td>175</td><td></td><td>o-Xylene</td><td><loq< td=""><td>ppm</td><td>81</td><td></td></loq<></td></loq>	175		o-Xylene	<loq< td=""><td>ppm</td><td>81</td><td></td></loq<>	ppm	81	
m+p-Xylene	<loq ppm<="" td=""><td>163</td><td></td><td>Methanol</td><td><loq< td=""><td>ppm</td><td>250</td><td></td></loq<></td></loq>	163		Methanol	<loq< td=""><td>ppm</td><td>250</td><td></td></loq<>	ppm	250	
Methylene Chloride	<loq ppm<="" td=""><td>90</td><td></td><td>Toluene</td><td><loq< td=""><td>ppm</td><td>67</td><td></td></loq<></td></loq>	90		Toluene	<loq< td=""><td>ppm</td><td>67</td><td></td></loq<>	ppm	67	
Laboratory Ma		Jamie Hobo	nood	03/14/2024	12:15 PM			
PJLA SIGNATURE								

NT = Not tested, ND = Not detected; LOQ = Limit of Quantitation; <LOQ = Detected; >ULOL = Above upper limit of linearity; CFU/g = Colony forming units per 1 gram; TNTC = Too numerous to count

This product has been tested by CannaBusiness Laboratories using validated testing methodologies and a quality system. Values reported relate only to the product tested. CannaBusiness Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written permission of CannaBusiness Laboratories. Photo is of sample received by the lab and may vary from final packaging. The results apply to the sample as received.