Ananda Professional Cooling Lotion

Batch Specific Information

Product Name

CBD-Infused Cooling Lotion, 600mg in 120mL

Hemp-infused Cooling Lotion

24APCL095

04/2024

Lot Number
Date of Production (Batch Date)

Quantity Produced: 3048 UNITS

	Raw Ingredients	rys .
Ingredient	Manufacturer	Lot Number
AQUA	PHARMCO	231102-B071410
GLYCERIN	INTEGRITY INGREDIENTS	206042013003001
XANTHAN GUM	BRENNTAG	2545087
SODIUM STEAROYL LACTYLATE	INTEGRITY INGREDIENTS	40199
GLYCERYL STEARATE	INTEGRITY INGREDIENTS	086450-22
CETEARYL ALCOHOL STEARYL ALCOHOL	INTEGRITY INGREDIENTS	15240
BUTYROSPERMUM PARKII BUTTER CALOPHYLLUM TACAMAHACA SEED OIL COCOS NÜCIFERA OIL ORBIGNYA OLEIFERA SEED OIL ASTROCARYUM MURUMURU SEED BUTTER THEOBROMA GRANDIFLORUM SEED BUTTER		
GARDENIA TAITENSIS FLOWER EXTRACT	INTEGRITY INGREDIENTS	WA2506
CANNABIS SATIVA (HEMP) SEED OIL	ANANDA FOOD	HSO0036
CANNABIS SATIVA (HEMP) FLOWER EXTRACT	ANANDA HEALTH	CKS-LEX19-09
SQUALANE	NEOSSANCE	22LNC0506SQ231
CAMPHOR	CHARKIT	210922199
TOCOPHEROL	BASF	0023153351
TOCOPHEROL	BASF	'002359527
AQUA SODIUM HYDROXIDE	SIGMA	STBJ6545
MENTHOL CYCLODEXTRIN	IRA-RAHN	0134022
BIXA ORELLANA LEAF EXTRACT JACARANDA MIMOSIFOLIA FLOWER EXTRACT KALANCHOE PINNATA LEAF EXTRACT DEOXYRIBONUCLEASE GLUCOSE OXIDASE	BIOZYMES	BIOFOSPPM5.228.28G1222
MENTHA PIPERITA (PEPPERMINT) OIL	INTEGRITY INGREDIENTS	FL2990
AQUA ARGANIA SPINOSA KERNEL OIL LECITHIN POLYGLYCERYL-3 DIISOSTEARATE		2227901
GLYCERIN		
GLYCERYL STEARATE	LUCAS MEYER COSMETICS	
ARNICA MONTANA FLOWER EXTRACT	ESSENTIAL INGREDIENTS	0000070978

Manufactured By:

Ananda Health PO Box 399 Georgetown, KY 40324 833-791-2511

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



April 09, 2024

PO BOX 399 Georgetown, KY 40324 Order No. 555040 Sample No. 1207662

SAMPLE INFORMATION

Description

AP Cooling Lotion

Lot Number

24APCL095

Category

Non-Inhalable Topical

Received

April 05, 2024

ANALYTICAL RESULTS

Analysis

Cannabinoid Profile (Non-Plant)

Instrument

Liquid Chromatography Diode Array Detector (LC-DAD)

Method

MF-CHEM-15

Analysis Date

April 05, 2024 to April 09, 2024

Cannabinoid	mg/g	%	mg/ml
∆8-THC	ND	ND	ND
Δ9-THC	<loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	4.81	0.481	4.66
CBDA	ND	ND	ND
СВС	ND	ND	ND
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	<loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	<loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total CBD	4.81	0.481	4.66
Total Cannabinoids	4.81	0.481	4.66
Sum of Cannabinoids	4.81	0.481	4.66
/ml Conversion Factor	0.9697		

Reported by **Anresco, Inc.**



April 09, 2024

ND = None Detected

LOD = Limit of Detection (0.0667 mg/g) LOQ = Limit of Quantitation (0.2000 mg/g) Total THC = $\Delta 9$ -THC + ($0.877 \times \Delta 9$ -THCA) Total CBD = CBD + ($0.877 \times CBDA$)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Quality Approved
Dated: Approved Initials: 5/5/17



April 09, 2024

PO BOX 399

Georgetown, KY 40324

Order No. 555040

Sample No. 1207662

SAMPLE INFORMATION

Description

AP Cooling Lotion

Lot Number

24APCL095

Category

Non-Inhalable Topical

Received

April 05, 2024

ANALYTICAL RESULTS

Analysis

Heavy Metals Pass

Instrument

Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Method

MF-CHEM-16

Analysis Date

April 05, 2024 to April 09, 2024

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.125	ND	0.5	Pass

Reported by Anresco, Inc. ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation

Eric Tam Senior Chemist

April 09, 2024

Quality Approved
Dated: 5 3 12 Initials: 10



April 12, 2024

ANANDA HEMP

PO BOX 399 Georgetown, KY 40324 Order No. 555040 Sample No. 1207662

SAMPLE INFORMATION

Description

AP Cooling Lotion

Lot Number

24APCL095

Received

April 05, 2024

ANALYTICAL RESULTS

Analysis Date

April 05, 2024 to April 12, 2024

Findings

Analysis	Results	Method
Total Plate Count	<10 cfu/g	USP 61
Yeast	<10 cfu/g	USP 61
Mold	<10 cfu/g	USP 61
Bile Tolerant Gram Negative	Negative /1g	USP 62
E. coli	Negative /1g	USP 62
Salmonella	Negative /1g	USP 62
Pseudomonas	Negative /1g	USP 62
Staphylococcus	Negative /1g	USP 62
Candida albicans	Negative /1g	USP 62

Reported by Anresco, Inc.





If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1



April 09, 2024

PO BOX 399 Georgetown, KY 40324

Order No. 555040 Sample No. 1207662

SAMPLE INFORMATION

Description Lot Number AP Cooling Lotion 24APCL095

Category Received Non-Inhalable Topical April 05, 2024

ANALYTICAL RESULTS

Analysis

Pesticides USP - 561 Pass

Instrument

GC & LC MS/MS

USP 561

Method **Analysis Date**

April 05, 2024 to April 09, 2024

Quality Approved
Dated: 5/3/11 Initials: MA

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acephate	0.02/0.05	ND	0.1	Pass
Alachlor	0.02/0.05	ND	0.05	Pass
Aldrin	0.02/0.05	ND	0.05	Pass
Azinphos-ethyl	0.03/0.1	ND	0.1	Pass
Azinphos-methyl	0.17/0.5	ND	1	Pass
BHC-alpha (benzene hexachloride)	0.025/0.075	ND	0.3	Pass
BHC-beta	0.025/0.075	ND	0.3	Pass
BHC-delta	0.025/0.075	ND	0.3	Pass
BHC-epsilon	0.025/0.075	ND	0.3	Pass
BHC-gamma (Lindane, gamma HCH)	0.03/0.1	ND	0.6	Pass
Bromophos-ethyl	0.02/0.05	ND	0.05	Pass
Bromophos-Methyl	0.02/0.05	ND	0.05	Pass
Bromopropylate	0.08/0.25	ND	3	Pass
Chlordane-cis	0.02/0.05	ND	0.05	Pass
Chlordane-oxy	0.02/0.05	ND	0.05	Pass
Chlordane-trans	0.02/0.05	ND	0.05	Pass
Chlorfenvinphos	0.08/0.25	ND	0.5	Pass
Chlorpyrifos	0.02/0.05	ND	0.2	Pass
Chlorpyrifos-methyl	0.03/0.1	ND	0.1	Pass
Cyfluthrin	0.03/0.1	ND	0.1	Pass
Cyhalothrin-lambda	0.17/0.5	ND	1	Pass
Cypermethrin	0.17/0.5	ND	1	Pass
DDD-o,p'	0.03/0.1	ND	1	Pass
DDD-p,p'	0.03/0.1	ND	1	Pass
DDE-o,p'	0.03/0.1	ND	1	Pass
DDE-p,p'	0.03/0.1	ND	1	Pass
DDT-o,p'	0.03/0.1	ND	1	Pass
DDT-p,p'	0.03/0.1	ND	1	Pass
Deltamethrin	0.17/0.5	ND	0.5	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave., San Francisco, CA 94124 Sample #: 1207662 Batch #: 24APCL095

page 1 of 3 Report ID: T-2



Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Diazinon	0.03/0.1	ND	0.5	Pass
Dichlofluanid	0.08/0.25	ND	0.1	Pass
Dichlorvos	0.03/0.1	ND	1	Pass
Dicofol	0.17/0.5	ND	0.5	Pass
Dieldrin	0.02/0.05	ND	0.05	Pass
Dimethoate	0.03/0.1	ND	0.1	Pass
Endosulfan I (alpha)	0.08/0.25	ND	3	Pass
Endosulfan II (beta)	0.08/0.25	ND	3	Pass
ndosulfan sulfate	0.08/0.25	ND	3	Pass
Endrin	0.02/0.05	ND	0.05	Pass
Ethion	0.17/0.5	ND	2	Pass
Etrimfos	0.02/0.05	ND	0.05	Pass
Fenchlorphos (Ronnel)	0.03/0.1	ND	0.1	Pass
enitrothion	0.17/0.5	ND	0.5	Pass
enpropathrin	0.01/0.03	ND	0.03	Pass
ensulfothion	0.02/0.05	ND	0.05	Pass
enthion	0.02/0.05	ND	0.05	Pass
envalerate	0.08/0.25	ND	1.5	Pass
Flucythrinate	0.02/0.05	ND	0.05	Pass
Fluvalinate-tau	0.02/0.05	ND	0.05	Pass
onofos	0.02/0.05	ND	0.05	Pass
Heptachlor	0.02/0.05	ND	0.05	Pass
Heptachlor endo-epoxide		ND	0.05	Pass
Heptachlor exo-epoxide	0.02/0.05	ND	0.05	Pass
Hexachlorobenzene	0.03/0.1	ND	0.03	Pass
Malaoxon (Malathion-	0.03/0.1	ND	0.1	rass
oxon)	0.08/0.25	ND	1	Pass
Malathion	0.08/0.25	ND	1	Pass
Mecarbam	0.02/0.05	ND	0.05	Pass
Methacrifos	0.02/0.05	ND	0.05	Pass
Methamidophos	0.02/0.05	ND	0.05	Pass
Methidathion	0.07/0.2	ND	0.2	Pass
Methoxychlor, o,p'-	0.02/0.05	ND	0.05	Pass
Methoxychlor, p,p'-	0.02/0.05	ND	0.05	Pass
Mirex	0.003/0.01	ND	0.01	Pass
	0.03/0.01	ND ND	0.01	Pass
Monocrotophos	0.03/0.1	NU	0.1	rass
Octachlorodipropyl ether	0.01/0.02	ND	0.02	Pass
S-421)	0.09/0.25	ND	0.5	Pass
Parathion	0.08/0.25	ND	0.5	Pass
Parathion Methyl	0.03/0.1	ND		
Pendimethalin	0.03/0.1	ND	0.1	Pass
Pentachloroaniline	0.17/0.5	ND	1	Pass
Pentachloroanisole	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene		ND	1	Pass
Pentachlorothioanisole	0.03/0.1	ND	1	Pass
Permethrins	0.17/0.5	ND	1	Pass
Phosalone	0.03/0.1	ND	0.1	Pass
Phosmet	0.02/0.05	ND	0.05	Pass
Piperonyl Butoxide	0.03/0.1	ND	3	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Quality Approved
Dated: 5/3/1 Initials: 1/2

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave., San Francisco, CA 94124 Sample #: 1207662 Batch #: 24APCL095



Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Pirimiphos-ethyl	0.02/0.05	ND	0.05	Pass
Pirimiphos-methyl	0.08/0.25	ND	4	Pass
Procymidone	0.03/0.1	ND	0.1	Pass
Profenofos	0.03/0.1	ND	0.1	Pass
Prothiofos	0.02/0.05	ND	0.05	Pass
Pyrethrins	0.17/0.5	ND	3	Pass
Quinalphos	0.02/0.05	ND	0.05	Pass
Tecnazene	0.02/0.05	ND	0.05	Pass
Tetradifon	0.08/0.25	ND	0.3	Pass
Vinclozolin	0.08/0.25	ND	0.4	Pass

Reported by **Anresco, Inc.**

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



April 09, 2024





April 09, 2024

Order No. 555040

Sample No. 1207662

PO BOX 399 Georgetown, KY 40324

SAMPLE INFORMATION

Description

AP Cooling Lotion

Lot Number

24APCL095

Category

Non-Inhalable Topical

Received

April 05, 2024

ANALYTICAL RESULTS

Analysis

Mycotoxins Screen Pass

Instrument

Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem

Mass Spectrometry (GC-MS/MS)

Method

MF-CHEM-13

Analysis Date

April 05, 2024 to April 09, 2024

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	28	
Aflatoxin B2	2/5	ND	38	S#6
Aflatoxin G1	2/5	ND	8#	
Aflatoxin G2	2/5	ND	82	9 2
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by Anresco, Inc. ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



April 09, 2024





April 09, 2024

PO BOX 399 Georgetown, KY 40324 Order No. 555040 Sample No. 1207662

SAMPLE INFORMATION

Description

AP Cooling Lotion 24APCL095

Lot Number

Non-Inhalable Topical

Category Received

April 05, 2024

Serving Size (g)

1

ANALYTICAL RESULTS

Analysis

Residual Solvent Screen Pass

Method

USP <467>

Analysis Date

April 05, 2024 to April 09, 2024

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	ND	*	
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	1 4 1	
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	7	
Ethyl acetate	67/200	ND	*	•
Ethyl ether	67/200	ND	•	•
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	-	•
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	-	
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	-	
Propane	67/200	ND	-	
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by **Anresco, Inc.**

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



April 09, 2024

Quality Approved
Dated: 5/3/24 Initials: 4>7