

InflaEze Tincture

Batch Specific Information

Product Name	InflaEze Tincture
Product Description	Sublingual tincture, 30mg/mL Total Cannabinoids from Full-Spectrum Hemp Extract enriched with CBC and CBDa. Infused in a blend of hemp seed oil and selected terpenes.
Lot Number	FL002
Expiration Date	02/2025
Date of Production (Batch Date)	03/2023

Quantity Produced: 2795 units

Raw Ingredients

Ingredient	Manufacturer	Lot Number
HEMP SEED OIL	ANANDA FOOD	HSO0025
FULL SPECTRUM HEMP EXTRACT	ANANDA HEALTH	CKS-LEX19-05
CBC Isolate	GVB Biosciences	TST-509
CBDa Isolate	GVB Biosciences	TST-474
BETA-MYRCENE	SIGMA ALDRICH	SHBL3032
BETA-CARYOPHYLLENE	SIGMA ALDRICH	SHBP4524
LINALOOL	SIGMA ALDRICH	SHBQ1776
ALPHA-PINENE	SIGMA ALDRICH	SHBL0486
CITRAL	SIGMA ALDRICH	MKCJ7159
D-LIMONENE	SIGMA ALDRICH	SHBL4496
EUCALYPTOL	SIGMA ALDRICH	SHBP3781

Blended as lot 23TFL060. Lot changed to FL002 due to space considerations.

Manufactured By:

Ananda Health
PO Box 399
Georgetown, KY 40324
888-388-1119

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

March 10, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 542335
Sample No. 1153279

SAMPLE INFORMATION

Description InflaEze Tincture
Lot Number 23TFL060
Category Non-Inhalable Edible
Received March 08, 2023

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF-CHEM-15
Analysis Date March 08, 2023 to March 10, 2023

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	0.89	0.089	0.82
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	22.21	2.221	20.60
CBDA	6.54	0.654	6.06
CBC	3.03	0.303	2.81
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	0.79	0.079	0.73
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	0.89	0.089	0.82
Total CBD	27.94	2.794	25.92
Total Cannabinoids	32.65	3.265	30.28
Sum of Cannabinoids	33.46	3.346	31.03
g/ml Conversion Factor	0.9274		

Handwritten signature and date: 3/21/2023

Reported by
Anresco, Inc.



Eric Tam
Senior Chemist

March 10, 2023

Limit of Detection: 0.067 mg/g
Limit of Quantitation: 0.2 mg/g
ND = None Detected
<LOQ = Below Limit of Quantitation
LOD = Limit of Detection
Total THC = Δ9-THC + (0.877 * Δ9-THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

If there are any questions with this report, please contact "compliance@anresco.com".

March 10, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 542335
Sample No. 1153279

SAMPLE INFORMATION

Description InflaEze Tincture
Lot Number 23TFL060
Category Non-Inhalable Edible
Received March 08, 2023

ANALYTICAL RESULTS

Analysis Heavy Metals Pass
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF-CHEM-16
Analysis Date March 08, 2023 to March 10, 2023

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	BLOQ ✓ ADT 3/21/2023	0.5	Pass

Reported by
Anresco, Inc.

ND = None Detected



Eric Tam
Senior Chemist

March 10, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

March 13, 2023

ANANDA HEMP
PO BOX 399
Georgetown, KY 40324

Order No. 542335
Sample No. 1153279

SAMPLE INFORMATION

Description InflaEze Tincture
Lot Number 23TFL060
Received March 08, 2023

ANALYTICAL RESULTS

Analysis Date March 08, 2023 to March 13, 2023

Findings	Analysis	Results	Method
	Total Plate Count	<10 cfu/g	USP 61
	Yeast	<10 cfu/g	USP 61
	Mold	<10 cfu/g	USP 61
	Bile Tolerant Gram Negative	Negative /1g	USP 62
	E. coli	Negative /1g	USP 62
	Salmonella	Negative /10g	USP 62
	Pseudomonas	Negative /1g	USP 62
	Staphylococcus	Negative /1g	USP 62

✓ ADT
3/21/2023

Reported by
Anresco, Inc.



Allen Zhu
Analyst

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1

March 10, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 542335
Sample No. 1153279

SAMPLE INFORMATION

Description InflaEze Tincture
Lot Number 23TFL060
Category Non-Inhalable Edible
Received March 08, 2023

ANALYTICAL RESULTS

Analysis Mycotoxins Screen Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date March 08, 2023 to March 10, 2023

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

*✓ AS1
3/21/2023*

Reported by
Anresco, Inc.

ND = None Detected

Ka Meng Lao



Ka Meng Lao
Analyst I

March 10, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

March 10, 2023

PO BOX 399
 Georgetown, KY 40324

Order No. 542335
 Sample No. 1153279

SAMPLE INFORMATION

Description InflaEze Tincture
Lot Number 23TFLO60
Category Non-Inhalable Edible
Received March 08, 2023

ANALYTICAL RESULTS

Analysis Pesticide Residue Screen Pass
Instrument GC & LC MS/MS
Method USP 561
Analysis Date March 08, 2023 to March 10, 2023

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acephate	0.02/0.05	ND	0.1	Pass
Alachlor	0.02/0.05	ND	0.05	Pass
Aldrin	0.02/0.05	ND	0.05	Pass
Azinphos-ethyl	0.03/0.1	ND	0.1	Pass
Azinphos-methyl	0.17/0.5	ND	1	Pass
BHC-alpha (benzene hexachloride)	0.03/0.1	ND	0.3	Pass
BHC-beta	0.03/0.1	ND	0.3	Pass
BHC-delta	0.03/0.1	ND	0.3	Pass
BHC-gamma (Lindane, gamma HCH)	0.03/0.1	ND	0.6	Pass
Bromophos-ethyl	0.02/0.05	ND	0.05	Pass
Bromophos-Methyl	0.02/0.05	ND	0.05	Pass
Bromopropylate	0.08/0.25	ND	3	Pass
Chlordane-cis	0.02/0.05	ND	0.05	Pass
Chlordane-oxy	0.02/0.05	ND	0.05	Pass
Chlordane-trans	0.02/0.05	ND	0.05	Pass
Chlorfenvinphos	0.08/0.25	ND	0.5	Pass
Chlorpyrifos	0.02/0.05	ND	0.2	Pass
Chlorpyrifos-methyl	0.03/0.1	ND	0.1	Pass
Cyfluthrin	0.03/0.1	ND	0.1	Pass
Cyhalothrin-lambda	0.17/0.5	ND	1	Pass
Cypermethrin	0.17/0.5	ND	1	Pass
DDD-o,p'	0.03/0.1	ND	1	Pass
DDD-p,p'	0.03/0.1	ND	1	Pass
DDE-o,p'	0.03/0.1	ND	1	Pass
DDE-p,p'	0.03/0.1	ND	1	Pass
DDT-o,p'	0.03/0.1	ND	1	Pass
DDT-p,p'	0.03/0.1	ND	1	Pass
Deltamethrin	0.17/0.5	ND	0.5	Pass
Diazinon	0.03/0.1	ND	0.5	Pass
Dichlofluanid	0.08/0.25	ND	0.1	Pass

*✓ ND
3/21/2023*

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Dichlorvos	0.03/0.1	ND	1	Pass
Dicofol	0.17/0.5	ND	0.5	Pass
Dieldrin	0.02/0.05	ND	0.05	Pass
Dimethoate	0.03/0.1	ND	0.1	Pass
Endosulfan I (alpha)	0.08/0.25	ND	3	Pass
Endosulfan II (beta)	0.08/0.25	ND	3	Pass
Endosulfan sulfate	0.08/0.25	ND	3	Pass
Endrin	0.02/0.05	ND	0.05	Pass
Ethion	0.17/0.5	ND	2	Pass
Etrimfos	0.02/0.05	ND	0.05	Pass
Fenclorphos (Ronnel)	0.03/0.1	ND	0.1	Pass
Fenitrothion	0.17/0.5	ND	0.5	Pass
Fenpropathrin	0.01/0.03	ND	0.03	Pass
Fensulfthion	0.02/0.05	ND	0.05	Pass
Fenthion	0.02/0.05	ND	0.05	Pass
Fenvalerate	0.08/0.25	ND	1.5	Pass
Flucythrinate	0.02/0.05	ND	0.05	Pass
Fluvalinate-tau	0.02/0.05	ND	0.05	Pass
Fonofos	0.02/0.05	ND	0.05	Pass
Heptachlor	0.02/0.05	ND	0.05	Pass
Heptachlor endo-epoxide	0.02/0.05	ND	0.05	Pass
Heptachlor exo-epoxide	0.02/0.05	ND	0.05	Pass
Hexachlorobenzene	0.03/0.1	ND	0.1	Pass
Malaoxon (Malathion-oxon)	0.08/0.25	ND	1	Pass
Malathion	0.08/0.25	ND	1	Pass
Mecarbam	0.02/0.05	ND	0.05	Pass
Methacrifos	0.02/0.05	ND	0.05	Pass
Methamidophos	0.02/0.05	ND	0.05	Pass
Methidathion	0.07/0.2	ND	0.2	Pass
Methoxychlor, o,p'-	0.02/0.05	ND	0.05	Pass
Methoxychlor, p,p'-	0.02/0.05	ND	0.05	Pass
Mirex	0.003/0.01	ND	0.01	Pass
Monocrotophos	0.03/0.1	ND	0.1	Pass
Octachlorodipropyl ether (S-421)	0.01/0.02	ND	0.02	Pass
Parathion	0.08/0.25	ND	0.5	Pass
Parathion Methyl	0.03/0.1	ND	0.2	Pass
Pendimethalin	0.03/0.1	ND	0.1	Pass
Pentachloroaniline	0.17/0.5	ND	1	Pass
Pentachloroanisole	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.03/0.1	ND	1	Pass
Pentachloroethoxyanisole	0.03/0.1	ND	1	Pass
Permethrins	0.17/0.5	ND	1	Pass
Phosalone	0.03/0.1	ND	0.1	Pass
Phosmet	0.02/0.05	ND	0.05	Pass
Piperonyl Butoxide	0.03/0.1	0.0451	3	Pass
Pirimiphos-ethyl	0.02/0.05	ND	0.05	Pass
Pirimiphos-methyl	0.08/0.25	ND	4	Pass
Procymidone	0.03/0.1	ND	0.1	Pass

✓ A07
3/21/2023

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Profenofos	0.03/0.1	ND	0.1	Pass
Prothiofos	0.02/0.05	ND	0.05	Pass
Pyrethrins	0.17/0.5	ND	3	Pass
Quinalphos	0.02/0.05	ND	0.05	Pass
Tecnazene	0.02/0.05	ND	0.05	Pass
Tetradifon	0.08/0.25	ND	0.3	Pass
Vinclozolin	0.08/0.25	ND	0.4	Pass

*✓ 101
3/21/2023*

Reported by
Anresco, Inc.

ND = None Detected

Ka Meng Lao



Ka Meng Lao
Analyst I

March 10, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

March 10, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 542335
Sample No. 1153279

SAMPLE INFORMATION

Description InflaEze Tincture
Lot Number 23TFL060
Category Non-Inhalable Edible
Received March 08, 2023
Serving Size (g) 1

ANALYTICAL RESULTS

Analysis Residual Solvent Screen Pass
Method USP <467>
Analysis Date March 08, 2023 to March 10, 2023

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	ND	-	-
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	-	-
Ethyl acetate	67/200	ND	-	-
Ethyl ether	67/200	ND	-	-
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	-	-
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	-	-
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	-	-
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by
Anresco, Inc.

ND = None Detected




Jordean Vargas
Analyst

March 10, 2023

If there are any questions with this report, please contact "compliance@anresco.com".