

3000mg FULL SPEC TINCTURE

Batch Specific Information

Product Name	3000mg TINCTURE
Product Description	Sublingual tincture, 10% full-spectrum active cannabinoids from hemp extract infused in a mixture of hemp seed oil and terpenes
Lot Number	23T30236
Expiration Date	07/2025

Raw Ingredients

Ingredient	Manufacturer	Lot Number
HEMP SEED OIL	ANANDA FOOD	HSO0035
HEMP EXTRACT	ANANDA HEALTH	23T302363KCB
BETA-MYRCENE	SIGMA ALDRICH	SHBL3649
BETA-CARYOPHYLLENE	SIGMA ALDRICH	SHBP4524
LINALOOL	SIGMA ALDRICH	SHBD1776
ALPHA-PINENE	SIGMA ALDRICH	SHBP0486
CITRAL	SIGMA ALDRICH	SHBP4682
D-LIMONENE	SIGMA ALDRICH	SHBL4496
EUCALYPTOL	SIGMA ALDRICH	SHBN3781

Manufactured By:

Ananda Health
PO Box 399
Georgetown, KY 40324
888-388-1119

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

October 02, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 548989
Sample No. 1175785

SAMPLE INFORMATION

Description AP 3000 FSHE TINCSTURE
Lot Number 23T30236
Category Non-Inhalable Topical
Received September 29, 2023

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF-CHEM-15
Analysis Date September 29, 2023 to October 02, 2023

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	2.97	0.297	2.78
Δ9-THCA	ND	ND	ND
THCV	0.58	0.058	0.54
THCVA	ND	ND	ND
CBD	112.02	11.202	104.89
CBDA	ND	ND	ND
CBC	2.39	0.239	2.24
CBCA	ND	ND	ND
CBDV	0.31	0.031	0.29
CBG	1.46	0.146	1.36
CBGA	ND	ND	ND
CBN	0.22	0.022	0.21
Total THC	2.97	0.297	2.78
Total CBD	112.02	11.202	104.89
Total Cannabinoids	119.95	11.995	112.32
Sum of Cannabinoids	119.95	11.995	112.32
g/ml Conversion Factor	0.9364		

Reported by
Anresco, Inc.


Ali Sweehy
Analyst I

October 02, 2023

Limit of Detection: 0.0667 mg/g
Limit of Quantitation: 0.2000 mg/g
ND = None Detected
<LOQ = Below Limit of Quantitation
LOD = Limit of Detection
Total THC = Δ9-THC + (0.877 * Δ9-THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Quality Approved
Dated: 10/3/23 Initials: AS

If there are any questions with this report, please contact "compliance@anresco.com".

August 29, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 547897
Sample No. 1171588

SAMPLE INFORMATION

Description 3000 FS TINCTURE
Lot Number 23T30236
Category Non-Inhalable Edible
Received August 25, 2023



ANALYTICAL RESULTS

Analysis Heavy Metals Pass
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF-CHEM-16
Analysis Date August 25, 2023 to August 29, 2023

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by
Anresco, Inc.

ND = None Detected

Jade Noguera
Asst. Cannabis Lab Director

August 29, 2023

Quality Approved
Dated: 10/3/23 Initials: (JN)

If there are any questions with this report, please contact "compliance@anresco.com".

September 01, 2023

ANANDA HEMP
PO BOX 399
Georgetown, KY 40324

Order No. 547897
Sample No. 1171588

SAMPLE INFORMATION

Description 3000 FS TINCTURE
Lot Number 23T30236
Received August 25, 2023

ANALYTICAL RESULTS

Analysis Date August 25, 2023 to September 01, 2023

Findings	Analysis	Results	Method
	Total Plate Count	<10 cfu/g	USP 61
	Yeast	<10 cfu/g	USP 61
	Mold	<10 cfu/g	USP 61
	Bile Tolerant Gram Negative	Negative /1g	USP 62
	E. coli	Negative /1g	USP 62
	Salmonella	Negative /10g	USP 62
	Pseudomonas	Negative /1g	USP 62
	Staphylococcus	Negative /1g	USP 62

Reported by
Anresco, Inc.

Jessica Lingua
Anresco, Inc. seal featuring the text 'ANRESCO, INCORPORATED', 'OCTOBER 1 1978', and 'CALIFORNIA' around a central emblem.

Jessica Lingua
Analyst

Quality Approved
Dated: 10/3/23 Initials: ALD

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1

August 29, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 547897
Sample No. 1171588

SAMPLE INFORMATION

Description 3000 FS TINCTURE
Lot Number 23T30236
Category Non-Inhalable Edible
Received August 25, 2023

ANALYTICAL RESULTS

Analysis Mycotoxins Screen Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date August 25, 2023 to August 29, 2023

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by
Anresco, Inc.

ND = None Detected

Alyssa Tabucan

Alyssa Tabucan
Analyst I

August 29, 2023

Quality Approved
Dated: 10/3/23 Initials: ADJ

If there are any questions with this report, please contact "compliance@anresco.com".

August 29, 2023

PO BOX 399
 Georgetown, KY 40324

Order No. 547897
 Sample No. 1171588

SAMPLE INFORMATION

Description 3000 FS TINCTURE
Lot Number 23T30236
Category Non-Inhalable Edible
Received August 25, 2023

ANALYTICAL RESULTS

Analysis Pesticides USP - 561 Pass
Instrument GC & LC MS/MS
Method USP 561
Analysis Date August 25, 2023 to August 29, 2023

Quality Approved
 Dated: 10/3/23 Initials: ADJ

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acephate	0.02/0.05	ND	0.1	Pass
Alachlor	0.02/0.05	ND	0.05	Pass
Aldrin	0.02/0.05	ND	0.05	Pass
Azinphos-ethyl	0.03/0.1	ND	0.1	Pass
Azinphos-methyl	0.17/0.5	ND	1	Pass
BHC-alpha (benzene hexachloride)	0.03/0.1	ND	0.3	Pass
BHC-beta	0.03/0.1	ND	0.3	Pass
BHC-delta	0.03/0.1	ND	0.3	Pass
BHC-gamma (Lindane, gamma HCH)	0.03/0.1	ND	0.6	Pass
Bromophos-ethyl	0.02/0.05	ND	0.05	Pass
Bromophos-Methyl	0.02/0.05	ND	0.05	Pass
Bromopropylate	0.08/0.25	ND	3	Pass
Chlordane-cis	0.02/0.05	ND	0.05	Pass
Chlordane-oxy	0.02/0.05	ND	0.05	Pass
Chlordane-trans	0.02/0.05	ND	0.05	Pass
Chlorfenvinphos	0.08/0.25	ND	0.5	Pass
Chlorpyrifos	0.02/0.05	ND	0.2	Pass
Chlorpyrifos-methyl	0.03/0.1	ND	0.1	Pass
Cyfluthrin	0.03/0.1	ND	0.1	Pass
Cyhalothrin-lambda	0.17/0.5	ND	1	Pass
Cypermethrin	0.17/0.5	ND	1	Pass
DDD-o,p'	0.03/0.1	ND	1	Pass
DDD-p,p'	0.03/0.1	ND	1	Pass
DDE-o,p'	0.03/0.1	ND	1	Pass
DDE-p,p'	0.03/0.1	ND	1	Pass
DDT-o,p'	0.03/0.1	ND	1	Pass
DDT-p,p'	0.03/0.1	ND	1	Pass
Deltamethrin	0.17/0.5	ND	0.5	Pass
Diazinon	0.03/0.1	ND	0.5	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Dichlofluanid	0.08/0.25	ND	0.1	Pass
Dichlorvos	0.03/0.1	ND	1	Pass
Dicofol	0.17/0.5	ND	0.5	Pass
Dieldrin	0.02/0.05	ND	0.05	Pass
Dimethoate	0.03/0.1	ND	0.1	Pass
Endosulfan I (alpha)	0.08/0.25	ND	3	Pass
Endosulfan II (beta)	0.08/0.25	ND	3	Pass
Endosulfan sulfate	0.08/0.25	ND	3	Pass
Endrin	0.02/0.05	ND	0.05	Pass
Ethion	0.17/0.5	ND	2	Pass
Etrimfos	0.02/0.05	ND	0.05	Pass
Fenclorphos (Ronnel)	0.03/0.1	ND	0.1	Pass
Fenitrothion	0.17/0.5	ND	0.5	Pass
Fenpropathrin	0.01/0.03	ND	0.03	Pass
Fensulfothion	0.02/0.05	ND	0.05	Pass
Fenthion	0.02/0.05	ND	0.05	Pass
Fenvalerate	0.08/0.25	ND	1.5	Pass
Flucythrinate	0.02/0.05	ND	0.05	Pass
Fluvalinate-tau	0.02/0.05	ND	0.05	Pass
Fonofos	0.02/0.05	ND	0.05	Pass
Heptachlor	0.02/0.05	ND	0.05	Pass
Heptachlor endo-epoxide	0.02/0.05	ND	0.05	Pass
Heptachlor exo-epoxide	0.02/0.05	ND	0.05	Pass
Hexachlorobenzene	0.03/0.1	ND	0.1	Pass
Malaaxon (Malathion-oxon)	0.08/0.25	ND	1	Pass
Malathion	0.08/0.25	ND	1	Pass
Mecarbam	0.02/0.05	ND	0.05	Pass
Methacrifos	0.02/0.05	ND	0.05	Pass
Methamidophos	0.02/0.05	ND	0.05	Pass
Methidathion	0.07/0.2	ND	0.2	Pass
Methoxychlor, o,p'-	0.02/0.05	ND	0.05	Pass
Methoxychlor, p,p'-	0.02/0.05	ND	0.05	Pass
Mirex	0.003/0.01	ND	0.01	Pass
Monocrotophos	0.03/0.1	ND	0.1	Pass
Octachlorodipropyl ether (S-421)	0.01/0.02	ND	0.02	Pass
Parathion	0.08/0.25	ND	0.5	Pass
Parathion Methyl	0.03/0.1	ND	0.2	Pass
Pendimethalin	0.03/0.1	ND	0.1	Pass
Pentachloroaniline	0.17/0.5	ND	1	Pass
Pentachloroanisole	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.03/0.1	ND	1	Pass
Pentachlorothioanisole	0.03/0.1	ND	1	Pass
Permethrins	0.17/0.5	ND	1	Pass
Phosalone	0.03/0.1	ND	0.1	Pass
Phosmet	0.02/0.05	ND	0.05	Pass
Piperonyl Butoxide	0.03/0.1	ND	3	Pass
Pirimiphos-ethyl	0.02/0.05	ND	0.05	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Quality Approved
Dated: 10/3/23 Initials: MSJ

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Pirimiphos-methyl	0.08/0.25	ND	4	Pass
Procymidone	0.03/0.1	ND	0.1	Pass
Profenofos	0.03/0.1	ND	0.1	Pass
Prothiofos	0.02/0.05	ND	0.05	Pass
Pyrethrins	0.17/0.5	ND	3	Pass
Quinalphos	0.02/0.05	ND	0.05	Pass
Tecnazene	0.02/0.05	ND	0.05	Pass
Tetradifon	0.08/0.25	ND	0.3	Pass
Vinclozolin	0.08/0.25	ND	0.4	Pass

Reported by
Anresco, Inc.

ND = None Detected



Alyssa Tabucan
Analyst I

August 29, 2023

Quality Approved

Dated: 10/3/23 Initials: ATJ

If there are any questions with this report, please contact "compliance@anresco.com".

August 29, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 547897
Sample No. 1171588

SAMPLE INFORMATION

Description 3000 FS TINCTURE
Lot Number 23T30236
Category Non-Inhalable Edible
Received August 25, 2023
Serving Size (g) 1

ANALYTICAL RESULTS

Analysis Residual Solvent Screen Pass
Method USP <467>
Analysis Date August 25, 2023 to August 29, 2023

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	ND	-	-
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	-	-
Ethyl acetate	67/200	ND	-	-
Ethyl ether	67/200	ND	-	-
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	-	-
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	-	-
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	-	-
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by
Anresco, Inc.

ND = None Detected


Jordean Vargas
Analyst III

August 29, 2023

Quality Approved
Dated: 10/3/23 Initials: AV

If there are any questions with this report, please contact "compliance@anresco.com".