

# FSHE Vanilla Orange 1000

## Batch Specific Information

<b>Product Name</b>	Full Spectrum Hemp Extract Vanilla-Orange 1000
<b>Product Description</b>	Sublingual tincture, 2% active hemp extract infused in fractionated coconut oil (MCT) with natural vanilla orange flavoring
<b>Lot Number</b>	23T8313
<b>Expiration Date</b>	10/2025

## Raw Ingredients

Ingredient	Manufacturer	Lot Number
MCT Oil, coconut derived	Kraft Chemical	BTA2303061
Ananda Extract (hemp extract)	Ecofibre Industries Operations	CKS-LEX19-08
Blood Orange Flavor	FlavoRx	E0835
Vanilla Oil Flavor	FlavoRx	E0129

### Manufactured By:

Ananda Health  
PO Box 399  
Georgetown, KY 40324  
888-388-1119

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

November 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 550117  
Sample No. 1180960

## SAMPLE INFORMATION

**Description** AP 2 PERCENT VO  
**Lot Number** 23T8313  
**Category** Non-Inhalable Edible  
**Received** November 08, 2023

## ANALYTICAL RESULTS

**Analysis** Cannabinoid Profile  
**Instrument** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Method** MF-CHEM-15  
**Analysis Date** November 08, 2023 to November 10, 2023

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	0.80	0.080	0.76
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	21.59	2.159	20.50
CBDA	ND	ND	ND
CBC	0.77	0.077	0.73
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	0.30	0.030	0.28
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	0.80	0.080	0.76
Total CBD	21.59	2.159	20.50
Total Cannabinoids	23.45	2.345	22.27
Sum of Cannabinoids	23.45	2.345	22.27
<b>g/ml Conversion Factor</b>	0.94967		

Reported by  
**Anresco, Inc.**

  
  
Stephanie Sullivan  
Senior Analyst

November 10, 2023

Limit of Detection: 0.0667 mg/g  
Limit of Quantitation: 0.2 mg/g  
ND = None Detected  
<LOQ = Below Limit of Quantitation  
LOD = Limit of Detection  
Total THC = Δ9-THC + (0.877 \* Δ9-THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Quality Approved**  
Dated: 11/29/23 Initials: AS7

If there are any questions with this report, please contact "compliance@anresco.com".

November 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 550117  
Sample No. 1180960

## SAMPLE INFORMATION

**Description** AP 2 PERCENT VO  
**Lot Number** 23T8313  
**Category** Non-Inhalable Edible  
**Received** November 08, 2023

## ANALYTICAL RESULTS

**Analysis** Heavy Metals  Pass  
**Instrument** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)  
**Method** MF-CHEM-16  
**Analysis Date** November 08, 2023 to November 10, 2023

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected



Eric Tam  
Senior Chemist

November 10, 2023

**Quality Approved**  
Dated: 11/29/23 Initials: AT

If there are any questions with this report, please contact "compliance@anresco.com".

November 13, 2023

**ANANDA HEMP**  
PO BOX 399  
Georgetown, KY 40324

Order No. 550117  
Sample No. 1180960

## SAMPLE INFORMATION

Description AP 2 PERCENT VO  
Lot Number 23T8313  
Received November 08, 2023

## ANALYTICAL RESULTS

Analysis Date November 08, 2023 to November 13, 2023

Findings	Analysis	Results	Method
	Total Plate Count	<10 cfu/g	USP 61
	Yeast	<10 cfu/g	USP 61
	Mold	<10 cfu/g	USP 61
	Bile Tolerant Gram Negative	Negative /1g	USP 62
	E. coli	Negative /1g	USP 62
	Salmonella	Negative /10g	USP 62
	Pseudomonas	Negative /1g	USP 62
	Staphylococcus	Negative /1g	USP 62

Reported by  
**Anresco, Inc.**

*Jingua*  


Jessica Lingua  
Analyst

**Quality Approved**  
Dated: 11/29/23 Initials: ALJ

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1

November 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 550117  
Sample No. 1180960

## SAMPLE INFORMATION

**Description** AP 2 PERCENT VO  
**Lot Number** 23T8313  
**Category** Non-Inhalable Edible  
**Received** November 08, 2023

## ANALYTICAL RESULTS

**Analysis** Mycotoxins Screen  Pass  
**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Method** MF-CHEM-13  
**Analysis Date** November 08, 2023 to November 10, 2023

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected


Blenda Cong  
Analyst II

November 10, 2023

**Quality Approved**  
Dated: 11/29/23 Initials: ACJ

If there are any questions with this report, please contact "compliance@anresco.com".

November 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 550117  
Sample No. 1180960

## SAMPLE INFORMATION

**Description** AP 2 PERCENT VO  
**Lot Number** 23T8313  
**Category** Non-Inhalable Edible  
**Received** November 08, 2023  
**Serving Size (g)** 1


## ANALYTICAL RESULTS

**Analysis** Residual Solvent Screen  Pass  
**Method** USP <467>  
**Analysis Date** November 08, 2023 to November 10, 2023

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	ND	-	-
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	-	-
Ethyl acetate	67/200	ND	-	-
Ethyl ether	67/200	ND	-	-
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	-	-
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	-	-
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	-	-
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected

  
Alma Dorantes  
Analyst I



November 10, 2023

**Quality Approved**  
Dated: 11/29/23 Initials: AD7

If there are any questions with this report, please contact "compliance@anresco.com".

November 10, 2023

PO BOX 399  
Georgetown, KY 40324

Order No. 550117  
Sample No. 1180960

## SAMPLE INFORMATION

**Description** AP 2 PERCENT VO  
**Lot Number** 23T8313  
**Category** Non-Inhalable Edible  
**Received** November 08, 2023

## ANALYTICAL RESULTS

**Quality Approved**  
Dated: 11/29/23 Initials: ASJ

**Analysis** Pesticides USP - 561  Pass  
**Instrument** GC & LC MS/MS  
**Method** USP 561  
**Analysis Date** November 08, 2023 to November 10, 2023

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acephate	0.02/0.05	ND	0.1	Pass
Alachlor	0.02/0.05	ND	0.05	Pass
Aldrin	0.02/0.05	ND	0.05	Pass
Azinphos-ethyl	0.03/0.1	ND	0.1	Pass
Azinphos-methyl	0.17/0.5	ND	1	Pass
BHC-alpha (benzene hexachloride)	0.03/0.1	ND	0.3	Pass
BHC-beta	0.03/0.1	ND	0.3	Pass
BHC-delta	0.03/0.1	ND	0.3	Pass
BHC-gamma (Lindane, gamma HCH)	0.03/0.1	ND	0.6	Pass
Bromophos-ethyl	0.02/0.05	ND	0.05	Pass
Bromophos-Methyl	0.02/0.05	ND	0.05	Pass
Bromopropylate	0.08/0.25	ND	3	Pass
Chlordane-cis	0.02/0.05	ND	0.05	Pass
Chlordane-oxy	0.02/0.05	ND	0.05	Pass
Chlordane-trans	0.02/0.05	ND	0.05	Pass
Chlorfenvinphos	0.08/0.25	ND	0.5	Pass
Chlorpyrifos	0.02/0.05	ND	0.2	Pass
Chlorpyrifos-methyl	0.03/0.1	ND	0.1	Pass
Cyfluthrin	0.03/0.1	ND	0.1	Pass
Cyhalothrin-lambda	0.17/0.5	ND	1	Pass
Cypermethrin	0.17/0.5	ND	1	Pass
DDD-o,p'	0.03/0.1	ND	1	Pass
DDD-p,p'	0.03/0.1	ND	1	Pass
DDE-o,p'	0.03/0.1	ND	1	Pass
DDE-p,p'	0.03/0.1	ND	1	Pass
DDT-o,p'	0.03/0.1	ND	1	Pass
DDT-p,p'	0.03/0.1	ND	1	Pass
Deltamethrin	0.17/0.5	ND	0.5	Pass
Diazinon	0.03/0.1	ND	0.5	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Dichlofluanid	0.08/0.25	ND	0.1	Pass
Dichlorvos	0.03/0.1	ND	1	Pass
Dicofol	0.17/0.5	ND	0.5	Pass
Dieldrin	0.02/0.05	ND	0.05	Pass
Dimethoate	0.03/0.1	ND	0.1	Pass
Endosulfan I (alpha)	0.08/0.25	ND	3	Pass
Endosulfan II (beta)	0.08/0.25	ND	3	Pass
Endosulfan sulfate	0.08/0.25	ND	3	Pass
Endrin	0.02/0.05	ND	0.05	Pass
Ethion	0.17/0.5	ND	2	Pass
Etrimfos	0.02/0.05	ND	0.05	Pass
Fenchlorphos (Ronnel)	0.03/0.1	ND	0.1	Pass
Fenitrothion	0.17/0.5	ND	0.5	Pass
Fenpropathrin	0.01/0.03	ND	0.03	Pass
Fensulfothion	0.02/0.05	ND	0.05	Pass
Fenthion	0.02/0.05	ND	0.05	Pass
Fenvalerate	0.08/0.25	ND	1.5	Pass
Flucythrinate	0.02/0.05	ND	0.05	Pass
Fluvalinate-tau	0.02/0.05	ND	0.05	Pass
Fonofos	0.02/0.05	ND	0.05	Pass
Heptachlor	0.02/0.05	ND	0.05	Pass
Heptachlor endo-epoxide	0.02/0.05	ND	0.05	Pass
Heptachlor exo-epoxide	0.02/0.05	ND	0.05	Pass
Hexachlorobenzene	0.03/0.1	ND	0.1	Pass
Malaoxon (Malathion-oxon)	0.08/0.25	ND	1	Pass
Malathion	0.08/0.25	ND	1	Pass
Mecarbam	0.02/0.05	ND	0.05	Pass
Methacrifos	0.02/0.05	ND	0.05	Pass
Methamidophos	0.02/0.05	ND	0.05	Pass
Methidathion	0.07/0.2	ND	0.2	Pass
Methoxychlor, o,p'-	0.02/0.05	ND	0.05	Pass
Methoxychlor, p,p'-	0.02/0.05	ND	0.05	Pass
Mirex	0.003/0.01	ND	0.01	Pass
Monocrotophos	0.03/0.1	ND	0.1	Pass
Octachlorodipropyl ether (S-421)	0.01/0.02	ND	0.02	Pass
Parathion	0.08/0.25	ND	0.5	Pass
Parathion Methyl	0.03/0.1	ND	0.2	Pass
Pendimethalin	0.03/0.1	ND	0.1	Pass
Pentachloroaniline	0.17/0.5	ND	1	Pass
Pentachloroanisole	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.03/0.1	ND	1	Pass
Pentachlorothioanisole	0.03/0.1	ND	1	Pass
Permethrins	0.17/0.5	ND	1	Pass
Phosalone	0.03/0.1	ND	0.1	Pass
Phosmet	0.02/0.05	ND	0.05	Pass
Piperonyl Butoxide	0.03/0.1	ND	3	Pass
Pirimiphos-ethyl	0.02/0.05	ND	0.05	Pass

**Quality Approved**  
 Dated: 11/24/23 Initials: ADJ

If there are any questions with this report, please contact "compliance@anresco.com".



Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Pirimiphos-methyl	0.08/0.25	ND	4	Pass
Procymidone	0.03/0.1	ND	0.1	Pass
Profenofos	0.03/0.1	ND	0.1	Pass
Prothiofos	0.02/0.05	ND	0.05	Pass
Pyrethrins	0.17/0.5	ND	3	Pass
Quinalphos	0.02/0.05	ND	0.05	Pass
Tecnazene	0.02/0.05	ND	0.05	Pass
Tetradifon	0.08/0.25	ND	0.3	Pass
Vinclozolin	0.08/0.25	ND	0.4	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected


Blenda Cong  
Analyst II

November 10, 2023

**Quality Approved**  
Dated: 11/24/23 Initials: ACJ

If there are any questions with this report, please contact "compliance@anresco.com".